



TYPICAL SINGLE LINE DIAGRAME SCHEMATIC





DETAIL A
SCHEMATIC - PEC IN KIOSK(FOR CENTRALIZED CONTROL)




TYPICAL ANTI-VANDAL KIOSK (CAGE NOT SHOWN)
FRONT VIEW (NTS)

2023-05-05 Burgersfort RevD.dwg 402-4 2023/09/18 02:43:17 PM







LEGEND	
SYMBOL	DESCRIPTION
8	TRANSFORMER
#	3- PHASE CIRCUIT BREAKER
<u> </u>	SURGE ARRESTOR
*	SINGLE PHASE CIRCUIT BREAKER
₽ [†]	FUSE
30mA	30mA EARTH LEAKAGE UNIT
C1 A1	3P 32A AC1 CONTACTOR WITH 230V COIL
PEC	10 Amp PHOTO CELL WITH 7-PIN BASE

NOTES:

- 1. All equipment to be approved by Engineer prior to
- 2. Full installation to comply with relevant SANS codes.3. Socket outlet to comply with SANS 164-1 & -2

KEY NOTES:

- Site light feeder circuit breakers to be 3 x single phase circuit breakers
- ②32 Amp Contactor circuit with PEC to be installed if required for centralized control (See Detail A).



SHEET SIZE

AS SHOWN A1

REVISION

F1